



ADATA™

Love · Life · Dreams

01

About ADATA

02

USB Flash Drive

Nobility Series | Superior Series | Classic Series | Theme Series

06

External Storage

Nobility Series | Superior Series | Classic Series

11

Solid State Drive

14

Power Supply Unit

HM Series | BN Series

16

XPG DRAM Module

Xtreme Series | Plus Series | Gaming Series

19

DRAM Module

Supreme Series | Premier Series | Apple Series

23

Memory Card

SDXC | SDHC | microSDHC | microSD | CF | Industrial CF | Reader

To provide customers with greater mobility, security, and ease-of-use, the following value-added software is offered free of charge:

oStoGO A handy application allowing users without an optical drive to install programs on an ADATA USB flash drive or a portable hard drive.

UFDtoGO Powerful value-added software that helps users manage data storage more efficiently and easily on an ADATA USB flash drive or portable hard drive; main features include PC Lock, Data Compression and protection, Lost & Found, and No-trace Internet Browsing.
HDDtoGO

Norton Internet Security™ 2011 (60-day Trial): Powerful anti-virus software that protects users against the latest online threats.

About ADATA

World's Leading Memory Brand

Founded in May, 2001 by Chairman and CEO Mr. Simon Chen, ADATA Technology Co., Ltd. is a world leading provider of memory modules and flash memory products, number 2 in DRAM modules and number 3 in USB flash drives. Building on its technical expertise, state-of-the-art manufacturing facilities, and premium customer service, ADATA grew rapidly to become a Taiwan Top 20 global brand within a matter of years.

The hummingbird logo was introduced in 2010 as a part of ADATA's new corporate identity. The colorful logo incorporates key design elements that reflect ADATA's culture, vision for the future, and commitment to the global market. The hummingbird's agility symbolizes the company's rapid responsiveness to market and consumer demands; its swiftness demonstrates the industry-leading innovation and productivity; its exploring nature signifies determination to pursue all possibilities; and the color and modern design reflect the exciting and dynamic characteristics of the ADATA brand.

Commitment to Quality and Sustainability

With an unwavering dedication to top quality and industry leading specifications, ADATA offers complete memory solutions including DRAM modules, USB flash drives, memory cards, solid state drives and portable hard drives. All are innovatively designed, and manufactured in accordance with the industry's most stringent standards. ADATA is also an ISO 14001 certified manufacturer that actively takes part in keeping the environment greener.

Premium Customer Service

With numerous locations around the globe, ADATA provides comprehensive and timely after-sale service support to our customers worldwide. ADATA also offers several free value-added software options to provide an enhanced computing experience.

Major Awards



ADATA offers four series of USB flash drives to fulfill the diversified tastes and needs of the contemporary market

- > **Nobility series** designed for those who seek performance and exquisite design
- > **Superior series** features stylishly designed mid-range drives
- > **Classic series** features reasonably priced solutions for value-driven users
- > **Theme series** features theme based USB flash drives

Powerful applications offered by ADATA!

Download ADATA value-added software UFDtoGO, OStoGO and Norton Internet Security™ 2011 (60-day Trial) for free with any purchase of ADATA USB flash drives.



- PC-Lock ● Data Compression ● Portable Outlook / Outlook Express / Windows Mail
- Favorites synchronization (Internet Explorer & Firefox) ● Desktop, Folder to Folder and My Documents synchronization ● Multilingual user Interface

Windows, Outlook, and Windows Live, are registered trademarks of Microsoft Corporation in the United States and other countries.



Nobility NO05

| Capacity | Color | P/N |
|----------|-------|---------------|
| 16GB | ■ | AN005-16G-CGY |
| 32GB | ■ | AN005-32G-CGY |
| 64GB | ■ | AN005-64G-CGY |

| USB3.0 | MB/ sec | Sequential Read (MAX) | Sequential Write (MAX) |
|--------|---------|-----------------------|------------------------|
| | 16GB | 60 | 22 |
| 32GB | 82 | 51 | |
| 64GB | 80 | 49 | |

The result may be different due to varied platforms

SuperSpeed USB 3.0 interface

- Aluminum body with metal finish
- Compatible with USB 2.0 & USB 1.1
- Dimensions: 90 x 20.5 x 11.5mm
- Weight: 20.5g



Superior S102

| Capacity | Color | P/N |
|----------|-------|---------------|
| 8GB | ■ | AS102-8G-RGY |
| 16GB | ■ | AS102-16G-RGY |
| 32GB | ■ | AS102-32G-RGY |

| USB3.0 | MB/ sec | Sequential Read (MAX) | Sequential Write (MAX) |
|--------|---------|-----------------------|------------------------|
| | 8GB | 52 | 11 |
| 16GB | 68 | 18 | |
| 32GB | 68 | 31 | |

The result may be different due to varied platforms

SuperSpeed USB 3.0 interface

- Aluminum body with metal finish
- Compatible with USB 2.0 & USB 1.1
- Dimensions: 71.8 x 18.6 x 10.6mm
- Weight: 15g



Superior S101

| Capacity | Color | P/N |
|----------|-------|---------------|
| 4GB | ■ | AS101-4G-RBK |
| 8GB | ■ | AS101-8G-RBK |
| 16GB | ■ | AS101-16G-RBK |
| 32GB | ■ | AS101-32G-RBK |

Capless and retractable design

- Ultra-convenient slim and compact profile
- Capless design with retractable USB connector
- Dimensions: 33.5 x 16.5 x 6.5mm
- Weight: 4g



Superior S007

| Capacity | Color | P/N |
|----------|-------|---------------|
| 4GB | ■ | AS007-4G-RRD |
| 8GB | ■ | AS007-8G-RRD |
| 16GB | ■ | AS007-16G-RRD |
| 32GB | ■ | AS007-32G-RRD |
| 4GB | ■ | AS007-4G-RGN |
| 8GB | ■ | AS007-8G-RGN |
| 16GB | ■ | AS007-16G-RGN |
| 32GB | ■ | AS007-32G-RGN |

Stylish rubber design

- Waterproof and impact-resistant rubberized enclosure
- Clip-in cap design at the rear end to prevent cap loss
- High-speed performance (4GB: 120X, 8-32GB: 200X)
- Dimensions: 80 x 19 x 9.7mm
- Weight: 13.6g



Superior C905

| Capacity | Color | P/N |
|----------|-------|---------------|
| 4GB | ■ | AC905-4G-RGY |
| 8GB | ■ | AC905-8G-RGY |
| 16GB | ■ | AC905-16G-RGY |
| 32GB | ■ | AC905-32G-RGY |
| 4GB | ■ | AC905-4G-RRD |
| 8GB | ■ | AC905-8G-RRD |
| 16GB | ■ | AC905-16G-RRD |
| 32GB | ■ | AC905-32G-RRD |

Unique arc-shaped design

- Aluminum body with metallic finish
- High-speed performance (4GB: 120X, 8-32GB: 200X)
- Fully compatible with Windows® 7
- Dimensions: 61.8 x 18.7 x 10.7mm
- Weight: 13g



Superior C903

| Capacity | Color | P/N |
|----------|-------|---------------|
| 4GB | ■ | AC903-4G-RBL |
| 8GB | ■ | AC903-8G-RBL |
| 16GB | ■ | AC903-16G-RBL |
| 32GB | ■ | AC903-32G-RBL |
| 4GB | ■ | AC903-4G-RRD |
| 8GB | ■ | AC903-8G-RRD |
| 16GB | ■ | AC903-16G-RRD |
| 32GB | ■ | AC903-32G-RRD |

Capless swivel design

- Glossy metal outer casing
- High-speed performance (4GB: 120X, 8-32GB: 200X)
- Dimensions: 56.7 x 19.3 x 11.3mm
- Weight: 16g



Nobility S805

| Capacity | Color | P/N |
|----------|-------|---------------|
| 4GB | ■ | AS805-4G-CRD |
| 8GB | ■ | AS805-8G-CRD |
| 16GB | ■ | AS805-16G-CRD |
| 32GB | ■ | AS805-32G-CRD |
| 4GB | ■ | AS805-4G-CGY |
| 8GB | ■ | AS805-8G-CGY |
| 16GB | ■ | AS805-16G-CGY |
| 32GB | ■ | AS805-32G-CGY |

Award-winning carabiner-style design

- Easily clips onto key chains or bags
- Swivel USB connector
- Durable zinc alloy frame
- Dimensions: 61.7 x 19 x 9.3mm
- Weight: 25g





Classic C103 New Arrival

| Capacity | Color | P/N |
|----------|-------|-------------|
| 4GB | ■ | Coming Soon |
| 8GB | ■ | Coming Soon |
| 16GB | ■ | Coming Soon |



Classic C008

| Capacity | Color | P/N |
|----------|-------|---------------|
| 4GB | ■ | AC008-4G-RWE |
| 8GB | ■ | AC008-8G-RWE |
| 16GB | ■ | AC008-16G-RWE |
| 32GB | ■ | AC008-32G-RWE |
| 64GB | ■ | AC008-64G-RWE |
| 4GB | ■ | AC008-4G-RKD |
| 8GB | ■ | AC008-8G-RKD |
| 16GB | ■ | AC008-16G-RKD |
| 32GB | ■ | AC008-32G-RKD |
| 64GB | ■ | AC008-64G-RKD |



Classic C003

| Capacity | Color | P/N |
|----------|-------|---------------|
| 4GB | ■ | AC003-4G-RRD |
| 8GB | ■ | AC003-8G-RRD |
| 16GB | ■ | AC003-16G-RRD |
| 32GB | ■ | AC003-32G-RRD |
| 4GB | ■ | AC003-4G-RBL |
| 8GB | ■ | AC003-8G-RBL |
| 16GB | ■ | AC003-16G-RBL |
| 32GB | ■ | AC003-32G-RBL |



Classic C906

| Capacity | Color | P/N |
|----------|-------|---------------|
| 4GB | □ | AC906-4G-RWH |
| 8GB | □ | AC906-8G-RWH |
| 16GB | □ | AC906-16G-RWH |
| 32GB | □ | AC906-32G-RWH |
| 4GB | ■ | AC906-4G-RBK |
| 8GB | ■ | AC906-8G-RBK |
| 16GB | ■ | AC906-16G-RBK |
| 32GB | ■ | AC906-32G-RBK |



Classic C802

| Capacity | Color | P/N |
|----------|-------|---------------|
| 4GB | ■ | AC802-4G-RBL |
| 8GB | ■ | AC802-8G-RBL |
| 16GB | ■ | AC802-16G-RBL |
| 4GB | ■ | AC802-4G-RBK |
| 8GB | ■ | AC802-8G-RBK |
| 16GB | ■ | AC802-16G-RBK |



Theme T806

| Capacity | Color | P/N |
|----------|-------|---------------|
| 4GB | ■ | AT806-4G-CPK |
| 8GB | ■ | AT806-8G-CPK |
| 16GB | ■ | AT806-16G-CPK |
| 32GB | ■ | AT806-32G-CPK |
| 4GB | ■ | AT806-4G-CBL |
| 8GB | ■ | AT806-8G-CBL |
| 16GB | ■ | AT806-16G-CBL |
| 32GB | ■ | AT806-32G-CBL |

SuperSpeed USB 3.0 interface

- Retractable USB connector to prevent cap loss
- USB 3.0 super high speed performance
- Supports USB 3.0, backward compatible with USB 2.0
- Dimensions: 68.6 x 22.2 x 8.5mm
- Weight: 11g

Capless and retractable design

- Capless configuration, with retractable USB connector
- Scratch-proof and dirt-repellent
- Dimensions: 59.95 x 19.83 x 8.85mm
- Weight: 10g

Ultra-slim and lightweight

- Elegant slider type with retractable USB connector
- Comfortable slim and compact design
- Dimensions: 62.8 x 21 x 7.5mm
- Weight: 10g

Ultra-compact and lightweight

- Snap-on cap design at the rear end to prevent cap loss
- Dimensions: 58 x 17.6 x 10.4mm
- Weight: 9.3g

Retractable USB connector

- Simple and stylish industrial design
- Dimensions: 58.5 x 21.5 x 9.5mm
- Weight: 10g



Everyday is Valentine's Day

- Award-winning 'Kissing Octopus' profile
- USB connector with built-in magnet; can be used as magnetic sticker
- Waterproof and shock-resistant rubberized enclosure
- Dimensions: 49 x 35 x 35mm
- Weight: 33g



Ultra Fast Data Transfer
USB 3.0
 C103 / N005 / S102 Flash Drive

N005

USB 3.0 Ready SuperSpeed USB 3.0 Interface
2.0 backward compatible

Performance increased by **280%** compared to USB 2.0

| Interface | Read | Write | Time Shortened |
|-----------|---------|---------|---------------------------------------------------------------------|
| USB 3.0 | 56sec | 91 sec | Time shortened by 101sec. Time shortened by 74sec. |
| USB 2.0 | 157 sec | 165 sec | |

* The result may be different due to varied platforms. Test file: 4.36GB

S102

USB 3.0 Ready SuperSpeed USB 3.0 Interface
2.0 backward compatible

Performance increased by **230%** compared to USB 2.0

| Interface | Read | Write | Time Shortened |
|-----------|---------|---------|--------------------------------------------------------------------|
| USB 3.0 | 68sec | 129 sec | Time shortened by 89sec. Time shortened by 36sec. |
| USB 2.0 | 157 sec | 165 sec | |

* The result may be different due to varied platforms. Test file: 4.36GB

ADATA offers three series of external hard drives available in full range of capacities to provide portable storage and data backup

- > **Nobility series** designed for those who seek performance and exquisite design
- > **Superior series** featuring stylishly designed mid-range drives
- > **Classic series** featuring reasonably priced solutions for value-driven users

Powerful applications offered by ADATA!

Download ADATA value-added software HDDtoGO, OStoGO and Norton Internet Security™ 2011 (60-day Trial) for free with any purchase of ADATA USB Flash Drives.



OStoGO

HDDtoGO

- PC-Lock ● Data Compression ● Portable Outlook / Outlook Express / Windows Mail
- Favorites synchronization (Internet Explorer & Firefox) ● Desktop, Folder to Folder and My Documents synchronization ● Multilingual user Interface

Windows, Outlook, and Windows Live, are registered trademarks of Microsoft Corporation in the United States and other countries.



Nobility NH13 New Arrival

| Capacity | Color | P/N |
|----------|-------|------------------|
| 500GB | ■ | ANH13-500GU3-CBK |
| 750GB | ■ | ANH13-750GU3-CBK |
| 1TB | ■ | Coming Soon |
| 500GB | ■ | ANH13-500GU3-CSV |
| 750GB | ■ | ANH13-750GU3-CSV |
| 1TB | ■ | Coming Soon |

Bringing vogue to your life

- Silk-like surface finish
- Shockproof
- Fashionable, lightweight design
- LED indicator shows transfer status
- Dimensions: 118.8 x 77.8 x 16mm
- Weight: 165g



3.5" External Hard Drive High-capacity, blazing-fast backup solution

- SuperSpeed USB 3.0 interface
- R/W up to 130/125 (MB/s)
- One-touch auto backup
- Can be placed either upright or flat
- Innovative heat dissipation
- Polished surface housing
- Hard disk drive interface: 3.5" SATA HDD
- Dimensions: 178 x 150 x 48mm
- Weight: 1kg



Ultra-slim design

- High-speed USB 2.0 interface
- Attractive circular brushed metal finish
- Includes stylish leather pouch
- Bright cold-blue LED indicator
- Dimensions: 118.9 x 77 x 12.6mm
- Weight: 152g



Nobility NH03

| Capacity | Color | P/N |
|----------|-------|----------------|
| 1TB | ■ | ANH03-1TU3-CBK |
| 2TB | ■ | ANH03-2TU3-CBK |
| 3TB | ■ | Coming Soon |



Nobility NH92

| Capacity | Color | P/N |
|----------|-------|-----------------|
| 500GB | ■ | ANH92-500GU-CSV |
| 750GB | ■ | ANH92-750GU-CSV |
| 500GB | ■ | ANH92-500GU-CPK |
| 750GB | ■ | ANH92-750GU-CPK |
| 500GB | ■ | ANH92-500GU-CBL |
| 750GB | ■ | ANH92-750GU-CBL |




Bringing Vogue To Your Life USB 3.0

USB 3.0 NH13 External Hard Drive



ADATA NH13 USB 3.0 Portable HDD Performance 14.3GB movie file (155,426,410,217 Bytes) (Less is better)



Fashionable silk-like surface
Stylish design brings out unique personality

Smart shockproof design to extend product life

Rugged construction prevents loss of treasured memories.



Superior SH12 New Arrival

| Capacity | Color | P/N |
|----------|-------|------------------|
| 500GB | ■ | ASH12-500GU3-CBK |
| 1TB | ■ | Coming Soon |
| 500GB | ■ | ASH12-500GU3-CBL |
| 1TB | ■ | Coming Soon |

Speed and style

- High-speed USB 3.0 interface
- Anti-scratch finish
- Available in 2 fashionable designs
- Sleek and compact
- Bright cold-blue LED indicator
- Dimensions: 112 x 77.5 x 15.5mm
- Weight: 162g



Superior SH02

| Capacity | Color | P/N |
|----------|-------|-----------------|
| 320GB | □ | ASH02-320GU-CWH |
| 500GB | □ | ASH02-500GU-CWH |
| 640GB | □ | ASH02-640GU-CWH |
| 320GB | ■ | ASH02-320GU-CBK |
| 500GB | ■ | ASH02-500GU-CBK |
| 640GB | ■ | ASH02-640GU-CBK |
| 320GB | ■ | ASH02-320GU-CPK |
| 500GB | ■ | ASH02-500GU-CPK |
| 640GB | ■ | ASH02-640GU-CPK |

Fashionable and trendy exterior


- High-speed USB 2.0 interface
- Anti-scratch finish
- Available in 3 fashionable designs
- Sleek and compact
- Bright cold-blue LED indicator
- Dimensions: 112 x 77.5 x 15.5mm
- Weight: 162g

Superior SH93

| Capacity | Color | P/N |
|----------|-------|-----------------|
| 500GB | ■ | ASH93-500GU-CRD |
| 750GB | ■ | ASH93-750GU-CRD |
| 500GB | ■ | ASH93-500GU-CYL |
| 750GB | ■ | ASH93-750GU-CYL |
| 500GB | ■ | ASH93-500GU-CBK |
| 750GB | ■ | ASH93-750GU-CBK |

Born tough – a portable HDD like no other

- The first-ever waterproof HDD
- Military-class shock resistance
- Wrap-around USB cable
- Bright cold-blue LED indicator
- Dimensions: 129 x 97 x 19.2mm
- Weight: 240g



Categorize Your Digital Bookshelf

USB 3.0 CH11 External Hard Drive

Supports USB 3.0 interface

Utilizes the latest standard for ultra fast data transfer

Drastically reduce file transfer time

USB 3.0 can deliver a tenfold speed increase over USB 2.0

Label your memory in your way

Your precious memories can be categorized in your own style



Classic CH94

| Capacity | Color | P/N |
|----------|-------|-----------------|
| 320GB | White | ACH94-320GU-CWH |
| 500GB | White | ACH94-500GU-CWH |
| 750GB | White | ACH94-750GU-CWH |
| 320GB | Black | ACH94-320GU-CBK |
| 500GB | Black | ACH94-500GU-CBK |
| 750GB | Black | ACH94-750GU-CBK |
| 1TB | Black | ACH94-1TU-CBK |
| 320GB | Blue | ACH94-320GU-CBL |
| 500GB | Blue | ACH94-500GU-CBL |
| 750GB | Blue | ACH94-750GU-CBL |
| 320GB | Pink | ACH94-320GU-CPK |
| 500GB | Pink | ACH94-500GU-CPK |
| 750GB | Pink | ACH94-750GU-CPK |

Personal pocket diary

- High-speed USB 2.0 interface
- Wrap-around USB cable
- Compact design with notebook shape
- Self-adhesive alphabet stickers included for personalization
- Bright cold-blue LED indicator
- Dimensions: 130.6 x 86.8 x 14.5mm
- Weight: 172g



Solid State Drive (SSD), a new generation of mass storage device, provides numerous benefits over conventional electromechanical drives in terms of durability, performance and power efficiency. In collaboration with leading controller manufacturers, ADATA remains committed to the development of cutting-edge SSD technology, and offers a complete product lineup that embodies extraordinary performance.

ADATA SSD now come with Disk Migration Utility, a painless system migration tool.

- Easily transfer OS, data and partition information to SSD
- Back up your system to a file or a disk

Disk Migration Utility may be downloaded for free by purchasers of products bearing the following sticker:



S511 New Arrival

| Capacity | P/N |
|----------|-----------------|
| 60GB | AS511S3-60GM-C |
| 120GB | AS511S3-120GM-C |
| 240GB | AS511S3-240GM-C |
| 480GB | AS511S3-480GM-C |

2.5" SATA 6Gb/s interface

- Ultra-fast performance via SATA 6Gb/s interface
- Seq R/W up to 550/520 MB/s
- 4K random writes up to 60K IOPS
- Supports Windows 7 TRIM command
- Dimensions: 100 x 69.85 x 9.5mm
- Weight: 67g



Classic CH11

| Capacity | Color | P/N |
|----------|-------|------------------|
| 500GB | Black | ACH11-500GU3-CBK |
| 750GB | Black | ACH11-750GU3-CBK |
| 1TB | Black | ACH11-1TU3-CBK |
| 1.5TB | Black | Coming Soon |
| 500GB | White | ACH11-500GU3-CWH |
| 750GB | White | ACH11-750GU3-CWH |
| 1TB | White | ACH11-1TU3-CWH |
| 1.5TB | White | Coming Soon |
| 500GB | Pink | ACH11-500GU3-CPK |
| 750GB | Pink | ACH11-750GU3-CPK |
| 1TB | Pink | ACH11-1TU3-CPK |
| 1.5TB | Pink | Coming Soon |

Categorize your digital bookshelf

- Ultra-fast data transfer rate via USB 3.0 interface
- Drastically reduce file transfer time up to 70% compared to USB 2.0
- Customizable labels
- Smart category management of personal data
- Dimensions: 120 x 81.5 x 21 mm
- Weight: 186g



S501V2

| Capacity | P/N |
|----------|-----------------|
| 64GB | AS501V2-64GM-C |
| 128GB | AS501V2-128GM-C |
| 256GB | AS501V2-256GM-C |

2.5" SATA 6Gb/s interface

- Maximum transfer rate: 355MB/s
- Dimensions: 100 x 69.85 x 9.5mm
- Weight: 73g



S599

| Capacity | P/N |
|----------|----------------|
| 40GB | AS599S-40GM-C |
| 64GB | AS599S-64GM-C |
| 128GB | AS599S-128GM-C |
| 256GB | AS599S-256GM-C |

SandForce solution

- Ultra-fast Seq R/W up to 280/270 MB/s
- 4K random writes up to 50K IOPS
- Reaches the performance limit of SATA II
- Supports Windows 7 TRIM command
- Dimensions: 100 x 69.85 x 9.5mm
- Weight: 67g



S596 Turbo

| Capacity | P/N |
|----------|-----------------|
| 32GB | AS596TB-32GM-C |
| 64GB | AS596TB-64GM-C |
| 128GB | AS596TB-128GM-C |
| 256GB | AS596TB-256GM-C |

SATA II and USB2.0 dual interface

- Seq R/W up to 260/210 MB/s
- Supports Windows 7 TRIM command
- Utilizes the 34nm flash memory
- Dimensions: 100 x 69.85 x 9.5mm
- Weight: 67g



Ultimate Speed Breakthrough

SATA 6Gb/s S511 2.5" Solid State Drive

Desktop Pack

- Designed for desktop computers
- Fits in standard 3.5" desktop bays



Notebook Pack

- Designed for notebook computers
- When replacing a notebook hard disk with an Adata SSD, convert the old drive to a USB 3.0 external device



Ultra-fast performance via SATA 6Gb/s interface

The new SATA 6Gb/s standard is twice the speed of the previous generation SATA and provides a better performance to its based devices.

One of the fastest SATA 6Gb/s products in the market

The transfer speed is up to reading 550MB/s and writing 520MB/s

Supporting Windows 7 TRIM command handles garbage collection (GC) overhead without defragmentation

ADATA HM and BN series power supplies provide uncompromised productivity and stability. These robust power solutions ensure the reliable and stable delivery of ultimate power. All have a three-year limited warranty.

- > **HM series** Built for excellence, delivering maximum performance and superior reliability with modularized cable management and improved airflow. The high-quality Japanese capacitors provide stable and reliable power output.
- > **BN series** Aimed at DIY market for increased protection and uniform continuous power, for daily computing and gaming applications.



HM-1200



HM-850 / HM-750 / HM-650 / HM-550



| Model Name | Wattage | Dimensions | Weight |
|------------|---------|------------------|--------|
| HM-1200 | 1200W | 150 x 200 x 86mm | 4.18kg |
| HM-850 | 850W | 150 x 160 x 86mm | 3.14kg |
| HM-750 | 750W | | 3.06kg |
| HM-650 | 650W | | 2.94kg |
| HM-550 | 550W | | 2.92kg |

- 3-color LED temperature indicator
- Efficiency: 80 PLUS Bronze
- All high-quality Japanese capacitors
- nVIDIA® SLI® Certified
- Modular cable management
- 14CM two ball-bearing thermally controlled fan
- Active PFC: Power Factor > 0.9
- Special scratch resistant paint
- Protection: OCP/OVP/UVP/OLP/OPP/SCP



BN-550 / BN-500 / BN-450 / BN-400




New Arrival

| Model Name | Wattage | Dimensions | Weight |
|------------|---------|------------------|--------|
| BN-550 | 550W | 150 x 140 x 86mm | 2.66kg |
| BN-500 | 500W | | 2.61kg |
| BN-450 | 450W | | 2.55kg |
| BN-400 | 400W | | 2.53kg |

- Meets EuP and Energy Star 5.0
- Efficiency: 80 PLUS Bronze
- Supports ATX12V / Ver.2.3
- Low ripple & noise
- Supports VGA card
- Fan speed control
- Active PFC: Power Factor > 0.9
- Laminated color metal
- Protection: OCP/OVP/UVP/OLP/OPP/SCP

Robust Power, the Essence of Eternal Motion

HM Series



HM Series PSU Features

- Intelligent LED fan with 3-color display of output power
- 80 Plus Bronze – Ensures 82% power efficiency
- Modular cable management – Reduces unused cable clutter and improves internal airflow
- All high-quality Japanese capacitors – High efficiency and reliable power output
- Three-year warranty



HM Series PSU
HM-1200W



HM Series PSU
HM-850W / HM-750W
HM-650W / HM-550W



ADATA XPG™ stands for Xtreme Performance Gear, a new product line aimed at an emerging group of gamers, PC enthusiasts and overclockers who are seeking high-performance DRAM modules and high-end products. The XPG DRAM module product line consists of three series, each designed to deliver top-notch memory performance for different target users.

- > **Xtreme series** Provides the capability to unleash the hidden power in the computer with ultimate stability and extreme performance
- > **Plus series** Designed to meet the performance needs of PC enthusiasts, professionals, and overclockers
- > **Gaming series** Offers the gaming-class stability and outstanding reliability essential for serious gaming and computing



Xtreme series



Plus series



Gaming series



TCT

All XPG version 2.0 DRAM modules are built with superior cooling design, Thermal Conductive Technology (TCT), which provides greater cooling environment for both DRAM IC and PCB to improve the performance and greater stability.



2OZ

All XPG version 2.0 DRAM modules contain double the standard amount of copper in the PCB (printed circuit board) which simultaneously improves the energy efficiency, lowers the system temperature, and enhances system stability.



Xtreme series

| Model Name | Density | P/N |
|-----------------|------------|-------------------|
| DDR3 1600X(CL7) | 4GB (Kit) | AX3U1600XC2G79-2X |
| DDR3 1600X(CL7) | 6GB (Kit) | AX3U1600XC2G79-3X |
| DDR3 1600X(CL7) | 8GB (Kit) | AX3U1600XC4G79-2X |
| DDR3 1600X(CL7) | 12GB (Kit) | AX3U1600XC4G79-3X |



Plus series V2.0



| Model Name | Density | P/N |
|-----------------|------------|-------------------|
| DDR3 1600+(CL8) | 4GB (Kit) | AX3U1600PC2G8-DP2 |
| DDR3 1600+(CL8) | 6GB (Kit) | AX3U1600PC2G8-TP2 |
| DDR3 1600+(CL8) | 8GB (Kit) | AX3U1600PC4G8-DP2 |
| DDR3 1600+(CL8) | 12GB (Kit) | AX3U1600PC4G8-TP2 |



Plus series

| Model Name | Density | P/N |
|-----------------|------------|------------------|
| DDR3 1600+(CL8) | 4GB (Kit) | AX3U1600PC2G8-2P |
| DDR3 1600+(CL8) | 6GB (Kit) | AX3U1600PC2G8-3P |
| DDR3 1600+(CL8) | 8GB (Kit) | AX3U1600PC4G8-2P |
| DDR3 1600+(CL8) | 12GB (Kit) | AX3U1600PC4G8-3P |



Plus series



| Model Name | Density | P/N |
|------------------|------------|------------------|
| DDR3L 1333+(CL8) | 2GB (Pcs) | AXDU1333PC2G8-1P |
| DDR3L 1333+(CL8) | 4GB (Kit) | AXDU1333PC2G8-2P |
| DDR3L 1333+(CL8) | 6GB (Kit) | AXDU1333PC2G8-3P |
| DDR3L 1333+(CL8) | 4GB (Pcs) | AXDU1333PC4G8-1P |
| DDR3L 1333+(CL8) | 8GB (Kit) | AXDU1333PC4G8-2P |
| DDR3L 1333+(CL8) | 12GB (Kit) | AXDU1333PC4G8-3P |

Ammo for the Pros!

XPG Gaming Series V2.0 DRAM Module



XPG Gaming Series DRAM Module

The XPG Gaming Series DRAM module offers gaming-class stability, with a multitude of choices ranging from DDR3-1333 to DDR3-2400 MHz frequency. This innovative DRAM module uses two ounces of copper PCB and features a unique thermal cooling design to give you maximum speed and efficiency. Load'em up and bring'em on!



XPG Gaming Series DRAM module for desktop

XPG Gaming Series DRAM module for notebook

Gaming series V2.0



| Model Name | Density | P/N |
|-----------------|-----------|---------------------------------------|
| DDR3 2133G(CL9) | 4GB (Kit) | AX3U2133GC2G9B-DG2 New Arrival |
| DDR3 2133G(CL9) | 6GB (Kit) | AX3U2133GC2G9B-TG2 New Arrival |
| DDR3 2133G(CL9) | 8GB (Kit) | AX3U2133GC4G9B-DG2 New Arrival |
| DDR3 2133G(CL9) | 12GB(Kit) | AX3U2133GC4G9B-TG2 New Arrival |
| DDR3 2000G(CL9) | 4GB (Kit) | AX3U2000GC2G9B-DG2 |
| DDR3 2000G(CL9) | 6GB (Kit) | AX3U2000GC2G9B-TG2 |
| DDR3 2000G(CL9) | 8GB (Kit) | AX3U2000GC4G9B-DG2 |
| DDR3 2000G(CL9) | 12GB(Kit) | AX3U2000GC4G9B-TG2 |
| DDR3 1866G(CL9) | 4GB (Kit) | AX3U1866GC2G9B-DG2 New Arrival |
| DDR3 1866G(CL9) | 6GB (Kit) | AX3U1866GC2G9B-TG2 New Arrival |
| DDR3 1866G(CL9) | 8GB (Kit) | AX3U1866GC4G9B-DG2 New Arrival |
| DDR3 1866G(CL9) | 12GB(Kit) | AX3U1866GC4G9B-TG2 New Arrival |
| DDR3 1600G(CL9) | 4GB (Kit) | AX3U1600GC2G9-DG2 |
| DDR3 1600G(CL9) | 6GB (Kit) | AX3U1600GC2G9-TG2 |
| DDR3 1600G(CL9) | 8GB (Kit) | AX3U1600GC4G9-DG2 |
| DDR3 1600G(CL9) | 12GB(Kit) | AX3U1600GC4G9-TG2 |



Gaming series

| Model Name | Density | P/N |
|-----------------|------------|-------------------|
| DDR3 2000G(CL9) | 4GB (Kit) | AX3U2000GC2G9B-2G |
| DDR3 2000G(CL9) | 6GB (Kit) | AX3U2000GC2G9B-3G |
| DDR3 1866G(CL9) | 4GB (Kit) | AX3U1866GC2G9B-2G |
| DDR3 1866G(CL9) | 6GB (Kit) | AX3U1866GC2G9B-3G |
| DDR3 1600G(CL9) | 4GB (Kit) | AX3U1600GC2G9-2G |
| DDR3 1600G(CL9) | 6GB (Kit) | AX3U1600GC2G9-3G |
| DDR3 1600G(CL9) | 8GB (Kit) | AX3U1600GC4G9-2G |
| DDR3 1600G(CL9) | 12GB (Kit) | AX3U1600GC4G9-3G |



Gaming series



| Model Name | Density | P/N |
|------------------|-----------|-------------------------------------|
| DDR3L 1600G(CL9) | 2GB (Pcs) | AXDS1600GC2G9-1G New Arrival |
| DDR3L 1600G(CL9) | 4GB (Kit) | AXDS1600GC2G9-2G New Arrival |
| DDR3L 1600G(CL9) | 4GB (Pcs) | AXDS1600GC4G9-1G New Arrival |
| DDR3L 1600G(CL9) | 8GB (Kit) | AXDS1600GC4G9-2G New Arrival |



Gaming series



| Model Name | Density | P/N |
|------------------|------------|-------------------------------------|
| DDR3L 1600G(CL9) | 4GB (Kit) | AXDU1600GC2G9-2G New Arrival |
| DDR3L 1600G(CL9) | 6GB (Kit) | AXDU1600GC2G9-3G New Arrival |
| DDR3L 1600G(CL9) | 8GB (Kit) | AXDU1600GC4G9-2G New Arrival |
| DDR3L 1600G(CL9) | 12GB(Kit) | AXDU1600GC4G9-3G New Arrival |
| DDR3L 1333G(CL9) | 2GB (Pcs) | AXDU1333GC2G9-1G |
| DDR3L 1333G(CL9) | 4GB (Kit) | AXDU1333GC2G9-2G |
| DDR3L 1333G(CL9) | 6GB (Kit) | AXDU1333GC2G9-3G |
| DDR3L 1333G(CL9) | 4GB (Pcs) | AXDU1333GC4G9-1G New Arrival |
| DDR3L 1333G(CL9) | 8GB (Kit) | AXDU1333GC4G9-2G New Arrival |
| DDR3L 1333G(CL9) | 12GB (Kit) | AXDU1333GC4G9-3G New Arrival |



A leading memory module vendor, ADATA provides total memory solutions suitable for all types of systems and platforms. Engineered to meet strict industry standards and stringently tested to ensure quality, ADATA memory modules are offered in three series:

- > **Supreme series** is designed for optimized performance and reliability
- > **Premier series** features affordable solutions with outstanding C/P ratio performance
- > **Apple series** offers the best compatibility with the latest Mac platforms



Supreme series Premier series Apple series

Apple and Mac are registered trademarks of Apple Inc., in the United States and other countries.

Supreme series

| Model Name | Density | P/N |
|------------|---------------------|------------------------------------------------------|
| DDR3 1600 | Unbuffered DIMM | 1GB (Single),(Dual) SU3U1600B1G11 Coming Soon |
| | | 2GB (Single),(Dual) SU3U1600C2G11 Coming Soon |
| | | 4GB (Single),(Dual) SU3U1600C4G11 Coming Soon |
| DDR3 1333 | Unbuffered DIMM | 1GB (Single),(Dual) SU3U1333B1G9 |
| | | 2GB (Single),(Dual) SU3U1333C2G9 |
| | | 4GB (Single),(Dual) SU3U1333C4G9 |
| DDR3 1066 | Unbuffered DIMM | 1GB SU3U1066B1G7 |
| | | 2GB SU3U1066C2G7 |
| | | 4GB SU3U1066C4G9 New Arrival |
| DDR3 1333 | VLP Unbuffered DIMM | 1GB SU3X1333B1G9 New Arrival |
| | | 2GB SU3X1333C2G9 New Arrival |
| | | 4GB SU3X1333C4G9 New Arrival |
| DDR3 1600 | SO-DIMM | 1GB (Single),(Dual) SU3U1600B1G11 Coming Soon |
| | | 2GB (Single),(Dual) SU3U1600C2G11 Coming Soon |
| | | 4GB (Single),(Dual) SU3U1600C4G11 Coming Soon |
| DDR3 1333 | SO-DIMM | 1GB (Single),(Dual) SU3S1333B1G9 |
| | | 2GB (Single),(Dual) SU3S1333C2G9 |
| | | 4GB (Single),(Dual) SU3S1333C4G9 |
| DDR3 1066 | SO-DIMM | 1GB (Single) SU3S1066B1G7 |
| | | 2GB (Single) SU3S1066C2G7 |
| | | 4GB (Single) SU3S1066C4G7 |
| DDR3 1333 | ECC SO-DIMM | 2GB SU3B1333B2G9 New Arrival |
| DDR3 1600 | ECC Unbuffered DIMM | 2GB SU3E1600C2G11 New Arrival |
| | | 4GB SU3E1600C4G11 New Arrival |
| | | 1GB SU3E1333B1G9 |
| DDR3 1333 | ECC Unbuffered DIMM | 2GB SU3E1333B2G9 |
| | | 4GB SU3E1333C4G9 (256X8) |
| | | 8GB SU3E1333W8G9 (512X8) New Arrival |
| DDR3 1066 | ECC Unbuffered DIMM | 1GB SU3E1066B1G7 |
| | | 2GB SU3E1066B2G7 |
| | | 4GB SU3E1066C4G7 (256X8) |
| DDR3 1600 | ECC Registered DIMM | 8GB SU3E1066W8G9 (512X8) New Arrival |
| | | 2GB SU3R1600C2G11 New Arrival |
| | | 4GB SU3R1600C4G11 (256X8) New Arrival |
| DDR3 1333 | ECC Registered DIMM | 1GB SU3R1333B1G9 |
| | | 2GB SU3R1333C2G9 |
| | | 4GB SU3R1333B4G9 (128X8) |
| | | SU3R1333C4G9 (256X8) |
| | | SU3R1333F4G9 (256X4) |
| | | 8GB SU3R1333C8G9 (256X8) New Arrival |
| DDR3 1066 | ECC Registered DIMM | 16GB SU3R1333W16G9(512X8) New Arrival |
| | | 1GB SU3R1333Y16G9 (1024X4) New Arrival |
| | | 1GB SU3R1066B1G7 |
| DDR3 1066 | ECC Registered DIMM | 2GB SU3R1066C2G7 |
| | | 4GB SU3R1066B4G7 (128X8) |
| | | SU3R1066C4G7 (256X8) |
| | | SU3R1066F4G7 (256X4) |
| | | 8GB SU3R1066C8G7 (256X8) |
| | | 16GB SU3R1066W16G9 (512X8) New Arrival |
| | | SU3R1066Y16G9 (1024X4) New Arrival |



Stringently Tested for Top Quality and Reliability

DDR3-1600 SO-DIMM



Supreme series

| Model Name | Load Reduced DIMM (LR-DIMM) | Density | P/N | |
|------------|-----------------------------|---------------------|-----------------------|-------------|
| DDR3 1333 | Load Reduced DIMM (LR-DIMM) | 16GB | | Coming Soon |
| DDR3 1333 | VLP ECC Registered DIMM | 1GB | SU3V1333B1G9 | |
| | | 2GB | SU3V1333B2G9 | |
| | | 4GB | SU3V1333C4G9 (256X8) | |
| | | 8GB | SU3V1333W8G9 (512X8) | Coming Soon |
| DDR3 1066 | VLP ECC Registered DIMM | 1GB | SU3V1066B1G7 | |
| | | 2GB | SU3V1066B2G7 | |
| | | 4GB | SU3V1066C4G7 (256X8) | |
| | | 8GB | SU3V1066W8G7 (512X8) | Coming Soon |
| DDR3 1600 | VLP ECC Unbuffered DIMM | 4GB | SU3C1600C4G11 (256X8) | New Arrival |
| | | 2GB | SU3C1333B2G9 | New Arrival |
| DDR3 1333 | VLP ECC Unbuffered DIMM | 4GB | SU3C1333C4G9 (256X8) | New Arrival |
| | | 8GB | SU3C1333W8G9 (512X8) | Coming Soon |
| | | 2GB | SU3C1066B2G7 | New Arrival |
| DDR3 1066 | VLP ECC Unbuffered DIMM | 4GB | SU3C1066C4G7 (256X8) | New Arrival |
| | | 8GB | SU3C1066W8G7 (512X8) | Coming Soon |
| | | 2GB | SUDE1333B2G9 | |
| DDR3L 1333 | ECC Unbuffered DIMM | 4GB | SUDE1333C4G9 (256X8) | |
| | | 2GB | SUDE1066B2G7 | |
| | | 4GB | SUDE1066C4G7 (256X8) | |
| DDR3L 1066 | ECC Unbuffered DIMM | 2GB | SUDR1333B2G9 | |
| | | 4GB | SUDR1333B4G9 (128X8) | |
| | | 8GB | SUDR1333C4G9 (256X8) | |
| DDR3L 1333 | ECC Registered DIMM | 8GB | SUDR1333G8G9 (512X4) | New Arrival |
| | | 2GB | SUDR1066B2G7 | Coming Soon |
| | | 4GB | SUDR1066B4G9 (128X8) | |
| DDR3L 1066 | ECC Registered DIMM | 4GB | SUDR1066C4G9 (256X8) | |
| | | 8GB | SUDR1066G8G9 (512X4) | Coming Soon |
| | | 1GB (Single),(Dual) | SU2U800B1G6 | |
| DDR2 800 | Unbuffered DIMM | 2GB (Single),(Dual) | SU2U800B2G6 | |
| | | 4GB (Single),(Dual) | SU2U800C4G6 | |
| | | 1GB | SU2X800B1G6 | |
| DDR2 800 | VLP Unbuffered DIMM | 2GB | SU2X800B2G6 | |
| | | 1GB | SU2U667B1G5 | |
| | | 2GB | SU2U667B2G5 | |
| DDR2 667 | Unbuffered DIMM | 4GB | SU2U667C4G5 | |
| | | 1GB (Single),(Dual) | SU2S800B1G6 | |
| | | 2GB (Single),(Dual) | SU2S800B2G6 | |
| DDR2 800 | SO-DIMM | 4GB (Single),(Dual) | SU2S800C4G6 | |
| | | 1GB | SU2S667B1G5 | |
| | | 2GB | SU2S667B2G5 | |
| DDR2 667 | SO-DIMM | 4GB | SU2S667C4G5 | |
| | | 1GB | SU2F800B1G6 | |
| | | 2GB | SU2F800B2G6 | |
| DDR2 800 | Fully Buffered DIMM | 4GB | SU2F800B4G6 (128X8) | |
| | | 2GB | SU2F800C4G6 (256X8) | |
| | | 1GB | SU2F667B1G5 | |
| DDR2 667 | Fully Buffered DIMM | 2GB | SU2F667B2G5 | |
| | | 4GB | SU2F667B4G5 | |
| | | 1GB | SU2E800B1G6 | |
| DDR2 800 | ECC Unbuffered DIMM | 2GB | SU2E800B2G6 | |
| | | 4GB | SU2E800C4G6 | |
| | | 1GB | SU2E667B1G5 | |
| DDR2 667 | ECC Unbuffered DIMM | 2GB | SU2E667B2G5 | |
| | | 4GB | SU2E667C4G5 | |
| | | 1GB | SU2R800B1G6 | |
| DDR2 800 | ECC Registered DIMM | 2GB | SU2R800B2G6 | |
| | | 4GB | SU2R800F4G6 (256X4) | |
| | | 1GB | SU2R667B1G5 | |
| DDR2 667 | ECC Registered DIMM | 2GB | SU2R667B2G5 | |
| | | 4GB | SU2R667F4G5 (256X4) | |
| | | 8GB | SU2R667G8G5 (512X4) | |

- Supports triple-channel / dual-channel
- Every IC is verified by strict quality control
- Low power consumption provides high efficiency
- Fast transmission bandwidth

- RoHS compliance
- Conforms to JEDEC standards
- Limited lifetime warranty


Supreme series

Designed for optimized performance and reliability



Premier series

Affordable solutions with outstanding C/P ratio performance



ADATA offers a complete range of flash memory cards for all kinds of data storage:

- > **microSDHC/microSD** for mobile phones, Smartphones, game consoles
- > **Card Reader** for easy data access across platforms
- > **CompactFlash** for DSLR cameras
- > **SDXC/SDHC** for DSLR/digital cameras, MP3 players, Camcorders, Netbooks

Premier series

| Model Name | | Density | P/N |
|------------|-----------------|-----------------------|----------------|
| DDR3 1600 | Unbuffered DIMM | 1GB (Single),(Dual) | Coming Soon |
| | | 2GB (Single),(Dual) | Coming Soon |
| | | 4GB (Single),(Dual) | Coming Soon |
| DDR3 1333 | Unbuffered DIMM | 1GB (Single),(Dual) | AD3U1333B1G9 |
| | | 2GB (Single),(Dual) | AD3U1333C2G9 |
| | | 4GB (Single),(Dual) | AD3U1333C4G9 |
| DDR3 1066 | Unbuffered DIMM | 1GB | AD3U1066B1G7 |
| | | 2GB | AD3U1066C2G7 |
| | | 4GB | AD3U1066C4G7 |
| DDR3 1600 | SO-DIMM | 1GB (Single),(Dual) | Coming Soon |
| | | 2GB (Single),(Dual) | Coming Soon |
| | | 4GB (Single),(Dual) | Coming Soon |
| DDR3 1333 | SO-DIMM | 1GB (Single),(Dual) | AD3S1333B1G9 |
| | | 2GB (Single),(Dual) | AD3S1333C2G9 |
| | | 4GB (Single),(Dual) | AD3S1333C4G9 |
| DDR3 1066 | SO-DIMM | 1GB (Single) | AD3S1066B1G7 |
| | | 2GB (Single) | AD3S1066C2G7 |
| | | 4GB (Single) | AD3S1066C4G7 |
| DDR2 800 | Unbuffered DIMM | 1GB (Single),(Dual) | AD2U800B1G6 |
| | | 2GB (Single),(Dual) | AD2U800B2G6 |
| | | 4GB (Single),(Dual) | AD2U800C4G6 |
| DDR2 667 | Unbuffered DIMM | 1GB | AD2U667B1G5 |
| | | 2GB | AD2U667B2G5 |
| | | 4GB | AD2U667C4G5 |
| DDR2 800 | SO-DIMM | 1GB (Single),(Dual) | AD2S800B1G6 |
| | | 2GB (Single),(Dual) | AD2S800B2G6 |
| | | 4GB (Single),(Dual) | AD2S800C4G6 |
| DDR2 667 | SO-DIMM | 1GB | AD2S667B1G5 |
| | | 2GB | AD2S667B2G5 |
| | | 4GB | AD2S667C4G5 |
| DDR 400 | Unbuffered DIMM | 512MB (Single),(Dual) | AD1U400A512M3 |
| | | 1GB (Single),(Dual) | AD1U400A1G3 |
| | | AD1U333A512M25 | |
| DDR 333 | Unbuffered DIMM | 512MB (Single) | AD1U333G25 |
| | | 1GB (Single) | AD1U333G25 |
| | | AD1S400A512M3 | |
| DDR 400 | SO-DIMM | 512MB (Single) | AD1S400A512M3 |
| | | 1GB (Single) | AD1S400A1G3 |
| | | AD1S333A512M25 | |
| DDR 333 | SO-DIMM | 512MB (Single) | AD1S333A512M25 |
| | | 1GB (Single) | AD1S333G25 |
| | | AD1S333G25 | |

Apple series

| Model Name | | Density | P/N |
|------------|---------------------|--------------|-----------------|
| DDR3 1333 | SO-DIMM | 2GB (Single) | SU3S1333C2G9-RM |
| | | 4GB (Single) | SU3S1333C4G9-RM |
| DDR3 1066 | SO-DIMM | 2GB (Single) | SU3S1066C2G7-RM |
| | | 4GB (Single) | SU3S1066C4G7-RM |
| DDR3 1333 | ECC Unbuffered DIMM | 1GB | SU3E1333B1G9 |
| | | 2GB | SU3E1333B2G9 |
| | | 4GB | SU3E1333C4G9 |
| DDR3 1066 | ECC Unbuffered DIMM | 1GB | SU3E1066B1G7 |
| | | 2GB | SU3E1066B2G7 |
| | | 4GB | SU3E1066C4G7 |

microSD

| Capacity | P/N | P/N (Adapter) |
|----------|-----------|---------------|
| 2GB | AUSD2GZ-R | AUSD2GZ-RA1 |



- Supports SD 2.0 standard interface
- Used as a full-size SD card when combined with the included adapter
- Dimensions: 11 x 15 x 1mm
- Weight: 0.25g

microSD/microSDHC+ microReader

| Model Name | Color | Speed Class | Capacity | P/N |
|----------------|---------------------|------------------|---------------------|----------------------|
| microReader V3 | | microreader only | | AM3RBKBL |
| | | N/A | 2GB | AUSD2GZ-RM3BKBL |
| | | CLASS 4 | 4GB | AUSDH4GCL4-RM3BKBL |
| | | | 8GB | AUSDH8GCL4-RM3BKBL |
| | | | 16GB | AUSDH16GCL4-RM3BKBL |
| | | | 32GB | AUSDH32GCL4-RM3BKBL |
| | | CLASS 6 | 4GB | AUSDH4GCL6-RM3BKBL |
| | | | 8GB | AUSDH8GCL6-RM3BKBL |
| | | | 16GB | AUSDH16GCL6-RM3BKBL |
| | | | 32GB | AUSDH32GCL6-RM3BKBL |
| | | CLASS 10 | 8GB | AUSDH8GCL10-RM3BKBL |
| | | | 16GB | AUSDH16GCL10-RM3BKBL |
| | | | 16GB | AUSDH16GCL10-RM3BKBL |
| | | | 32GB | AUSDH32GCL10-RM3BKBL |
| | | microreader only | | |
| N/A | 2GB | | | AUSD2GZ-RM3RDRD |
| 4GB | AUSDH4GCL4-RM3RDRD | | | |
| 8GB | AUSDH8GCL4-RM3RDRD | | | |
| 16GB | AUSDH16GCL4-RM3RDRD | | | |
| CLASS 10 | | 16GB | AUSDH16GCL4-RM3RDRD | |
| | | 32GB | AUSDH32GCL4-RM3RDRD | |



- Supports SD 2.0 standard interface
- Lightweight and portable
- Push button card ejector
- LED access indicator
- Dimensions: 15 x 21 x 8mm
- Weight: 3g



CF Card

| Speed Class | Capacity | P/N |
|-------------|----------|--------------|
| CF | 2GB | ACF2GZ-R |
| | 4GB | ACF4GZ-R |
| | 8GB | ACF8GZ-R |
| 533X | 16GB | ACF16G533X-R |
| | 32GB | ACF32G533X-R |
| 633X | 16GB | ACF16G633X-C |
| | 32GB | ACF32G633X-C |

- Supports operating temperature 0°C~70°C
- Fully compatible with DSLR / Camcorder application
- Supports Ultra DMA mode 0~6, IDE PIO mode 6
- Conforms to CompactFlash Card specification standard 4.1
- Dimensions: 42.8 x 36.4 x 33mm
- Weight: 11.4g



SDXC UHS-I

| Speed Class | Capacity | P/N |
|-------------|----------|-------------|
| CLASS 10 | 64GB | Coming Soon |

- 64GB high capacity
- Employs highly-secure CPRM copy protection technology
- Supports UHS104 ultra-high speed transfer, and the latest SD 3.0 standard
- Dimensions: 24 x 32 x 2.1mm
- Weight: 2g



SDHC

| Speed Class | Capacity | P/N |
|-------------|----------|---------------|
| CLASS 4 | 4GB | ASDH4GCL4-R |
| | 8GB | ASDH8GCL4-R |
| | 16GB | ASDH16GCL4-R |
| | 32GB | ASDH32GCL4-R |
| CLASS 6 | 4GB | ASDH4GCL6-R |
| | 8GB | ASDH8GCL6-R |
| | 16GB | ASDH16GCL6-R |
| | 32GB | ASDH32GCL6-R |
| CLASS 10 | 8GB | ASDH8GCL10-R |
| | 16GB | ASDH16GCL10-R |
| | 32GB | ASDH32GCL10-R |

- Supports SD 2.0 standard interface
- Compatible with SDHC host devices; not compatible with standard SD-enabled devices/readers
- Supports Content Protection for Recordable Media (CPRM)
- Dimensions: 24 x 32 x 2.1mm
- Weight: 2g



microSDHC

| Speed Class | Capacity | P/N | P/N (Adapter) |
|-------------|----------|----------------|------------------|
| CLASS 4 | 4GB | AUSDH4GCL4-R | AUSDH4GCL4-RA1 |
| | 8GB | AUSDH8GCL4-R | AUSDH8GCL4-RA1 |
| | 16GB | AUSDH16GCL4-R | AUSDH16GCL4-RA1 |
| | 32GB | AUSDH32GCL4-R | AUSDH32GCL4-RA1 |
| CLASS 6 | 4GB | AUSDH4GCL6-R | AUSDH4GCL6-RA1 |
| | 8GB | AUSDH8GCL6-R | AUSDH8GCL6-RA1 |
| | 16GB | AUSDH16GCL6-R | AUSDH16GCL6-RA1 |
| | 8GB | AUSDH8GCL10-R | AUSDH8GCL10-RA1 |
| CLASS 10 | 16GB | AUSDH16GCL10-R | AUSDH16GCL10-RA1 |
| | 32GB | AUSDH32GCL10-R | AUSDH32GCL10-RA1 |

- Supports SD 2.0 standard interface
- Compatible with microSDHC host devices; not compatible with standard microSD-enabled device/readers
- Used as a full-size SD card when combined with the included adapter
- Dimensions: 11 x 15 x 1mm
- Weight: 0.25g



Professional-Grade Performance, Uncompromising Reliability

SDXC UHS-I

Supports UHS104 ultra-high speed transfer

Brings a new level of ultra-fast read and write speeds to NAND flash based memory cards

Employs highly-secure CPRM copy protection technology

CPRM enables the secure storage of digital content on the SD cards associated to the authorized devices

Supports the latest SD 3.0 standard

Complies with the new SD 3.0 specification for extended data capacity and fast data transfer speeds